

6

Notice of Allowability	Application No.	Applicant(s)	
	10/762,366	DUBUC, PAUL C.	
	Examiner	Art Unit	
	David P. Bryant	3726	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 2/16/06.
2. ☒ The allowed claim(s) is/are 47,51 and 53-65.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

David P. Bryant
Primary Examiner
Art Unit: 3726

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Specification:

Page 1:

The paragraph following the heading "CLAIM TO THE BENEFIT OF RELATED APPLICATIONS" has been changed to the following:

This application is a divisional of and claims the benefit under 35 U.S.C. §120 of U.S. application Serial No. 09/962,255, filed September 26, 2001, now U.S. Patent No. 6,729,010, which is a divisional of U.S. application Serial No. 09/301,589, filed April 29, 1999, now U.S. Patent No. 6,325,435, which is a continuation-in-part of U.S. application Serial No. 08/952,446, filed November 20, 1997, which is a §371 of PCT/US97/12560, filed July 24, 1997, which is a continuation-in-part of U.S. application Serial No. 08/686,554, filed July 26, 1996, now U.S. Patent No. 5,791,713.

Claims:

Claim 47:

In line 19, "intake" (first occurrence) has been changed to --exhaust--.

Claim 59:

In line 2, "intake" (last occurrence) has been changed to --exhaust--.

Art Unit: 3726

These claim changes were made to fix obvious typos, and were not made to alter the scope of the invention in any way. Both claims recited the phrase "air intake vents located above the air intake vents" but the air intake vents cannot be "located above" themselves. It was clearly applicant's intent to recite that the air intake vents are located above the air exhaust vents. This arrangement is depicted in Figure 5, where the air intake vents 129v are located above the air exhaust vents 127v.

CONTACT INFORMATION

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David P. Bryant whose telephone number is 571-272-4526. The examiner can normally be reached on Monday-Thursday (6:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, George Nguyen can be reached on 571-272-4491. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



David P. Bryant
Primary Examiner
Art Unit 3726

dpb
3/1/06